

# Data Mining, Lecture 13

## Mining Graph Data


S. Nõmm

<sup>1</sup>Department of Software Science, Tallinn University of Technology

22.11.2022


# Introduction

- The structure may be more important compared to content.
- Applications: physics, biology, social studies.



# Non oriented graph representation


Described by the list or by adjacency matrix



	1	2	3	4	5	6
1	0	1	0	0	1	0
2	1	0	1	0	1	0
3	0	1	0	1	0	0
4	0	1	1	0	1	1
5	1	1	0	1	0	0
6	0	0	0	1	0	0

# Oriented graph description

Adjacent matrix is non symmetric.




	Origin (who)					
Terminal	1	2	3	4	5	6
1	0	1	0	0	1	0
2	0	0	1	0	0	0
3	0	0	0	0	0	0
4	0	0	1	0	0	0
5	0	1	0	0	0	1
6	0	0	0	1	0	0

## Path & Walk (chain)

- Walk in the graph  $G$  is the sequence  $v_0, e_1, v_1, \dots, e_l, v_l$ , where  $v_i$  are nodes (vertexes) and  $e_i$  are the edges between the vertexes.
- Vertex  $v_0$  is referred as initial vertex and  $v_l$  terminal vertex.
- Path is the walk with no repetitions.
- Vertex  $v_i$  is reachable from the vertex  $v_j$  if there is a walk from  $v_i$  to  $v_j$ .
- The distance between  $v_i$  and  $v_j$  is defined as the shortest path between them.

# Path & Walk (chain)



# Graph database

## Definition

- *Graph data base  $\mathcal{D}$  is defined as the collection of different undirected graphs  $G_1 = (N_1, A_1), \dots, G_n = (N_n, A_n)$ .*
  - The set of nodes in  $i$ th graph is denoted by  $N_i$  and the set of edges by  $A_i$ .
  - Each node  $p \in N_i$  is associated with the label  $l(p)$ .

# Matching and distance computation

- The term matching is used in two distinct contexts for graph mining.
- Pairing up nodes in a single graph with the use of edges is also referred to as matching.
- Within the frameworks of the present lecture the term *matching* is used with conjunction to graph matching, the problem is also referred as graph isomorphism.



# Matching and distance computation

## Definition

Two graphs  $G_1 = (N_1, A_1)$  and  $G_2 = (N_2, A_2)$  are said to be isomorphic if there exists a bijection  $f$  between the sets of nodes  $N_1$  and  $N_2$ , such that following two conditions are satisfied.

- 1 For each pair of corresponding nodes their labels are the same.
- 2 The edge between the nodes  $p_{i,1}$  and  $p_{j,1}$  exists in  $G_1$  if and only if the edge exists between the nodes  $f(p_{i,2})$  and  $f(p_{j,2})$  in  $G_2$ .

## Definition

A node induced subgraph of graph  $G = (N, A)$  is a graph  $G_s = (N_s, A_s)$  satisfying two properties:

- 1  $N_s \subseteq N$ .
- 2  $A_s = A \cap (N_s \times N_s)$ .

# Matching and distance computation

## Definition

A query graph  $G_q = (N_q, A_q)$ , is said to be a subgraph isomorphism of the data graph  $G = (N, A)$  if two following conditions are satisfied:

- 1 For each node  $p_i \in N_q$  there is exist a node  $p_j \in N$  such that  $l(p_i) = l(p_j)$ .
- 2 The edge  $a_{i_1, j_1}$ , between the nodes  $p_{i,1}$  and  $p_{j,1}$ , exists in  $G_q$  if and only if corresponding edge exists in  $G$ .

## Definition

A Maximal Common Subgraph between a pair of subgraphs  $G_1 = (N_1, A_1)$  and  $G_2 = (N_2, A_2)$  is a graph  $G_0 = (N_0, A_0)$  such that it is a subgraph isomorphism for the both  $G_1$  and  $G_2$ , whereas the power of  $N_0$  is the maximal (of all possible).

Ullmans algorithm may be used to determine all possible subgraph isomorphisms between a query graph and a data graph.

## MCG-based distances

**NB!** Not all of the MCG-based distances satisfy condition to be a metric.

- Unnormalized non-matching measure:

$$U(G_1, G_2) = |G_1| + |G_2| - 2 \cdot |MCS(G_1, G_2)|.$$

- Union-normalized distance:

$$U_n = (G_1, G_2) = 1 - \frac{|MCS(G_1, G_2)|}{|G_1| + |G_2| - |MCS(G_1, G_2)|}.$$

- Max-normalized distance:

$$U_n^{max} = 1 - \frac{|MCS(G_1, G_2)|}{\max\{|G_1|, |G_2|\}}.$$

## Edit based distances

### Definition

*The graph edit distance  $E(G_1, G_2)$  is the minimum cost of the edit operations to be applied to  $G_1$  in order to transform it to  $G_2$ .*

item Not necessarily symmetric.

# Topological descriptors

Topological descriptors convert structural graphs to multidimensional data by using quantitative measures of important structural characteristics as dimensions.

- Morgan index: equal to the number of nodes reachable from the node within a distance of  $k$ .
- Wiener index: equal to the sum of the pairwise shortest path distances between all pairs of nodes.

$$W(G) = \sum_{i,j \in G} d(i,j).$$

- Hosoya index: is equal to the number of valid pairwise node-node matchings in the graph.
- Circuit rank: is equal to the minimum number of edges that need to be removed from a graph in order to remove all cycles.

## Frequent Substructure Mining in Graphs

The idea of frequent subgraph is identical to the case of association pattern mining, except that a subgraph relationship is used to count the support rather than a subset relationship.

- Let  $\mathcal{G}$  - Graph Database,  $minsup$  - minimum support.
- begin
- $F_1 = \{ \text{All Frequent singleton graphs} \};$
- $k = 1;$
- while  $F_k$  is not empty do begin
- Generate  $\mathcal{C}_{k+1}$  by joining pairs of graphs in  $F_k$  that share a subgraph of size  $(k - 1)$  in common;
- Prune subgraphs from  $\mathcal{C}_{k+1}$  that violate downward closure;
- Determine  $F_{k+1}$  by support counting on  $(\mathcal{C}_{k+1}, \mathcal{G})$  and retaining subgraphs from  $\mathcal{C}_{k+1}$  with support at least  $minsup$ ;
- $k = k + 1;$
- end;
- return  $(\cup_{i=1}^k F_i);$
- end

# Graph clustering

- The graph clustering problem partitions a database of  $n$  graphs into groups.
- Distance-based methods.
  - ▶ k-medoids
  - ▶ "community detection" (will be discussed during the next lecture)
- Frequent substructure-based methods.
  - ▶ Generic Transformational Approach
  - ▶ XProj: Direct Clustering with Frequent Subgraph Discovery

# Graph Classification

- Distance-based methods.
- Frequent substructure-based methods.
  - ▶ Generic Transformational Approach
  - ▶ XRules: A Rule-Based Approach



# Ullmans algorithm

- Let  $G_q$  - query graph,  $G$  - data graph,  $\mathcal{M}$  currently partially matched node pairs.
- begin
- if  $|\mathcal{M}| = |N_q|$  then return successful match  $\mathcal{M}$
- else
- $\mathcal{C} =$  Set of all label matching node pairs from  $(G_q, G)$  not in  $\mathcal{M}$
- (Optional efficiency optimization)
- for each pair  $(p_{i_q}, p_i) \in \mathcal{C}$  do
- if  $\mathcal{M} \cup \{(p_{i_q}, p_i)\}$  is valid partial matching
- then subgraph match  $(G_q, G, \mathcal{M} \cup \{(p_{i_q}, p_i)\})$ ;
- end for
- end

# Maximum common subgraph algorithm

- Let  $G_1$  and  $G_2$  - graphs,  $\mathcal{M}$  currently partially matched node pairs,  $\mathcal{M}_b$  currently best match .
- begin
- $\mathcal{C}$  = Set of all label matching node pairs from  $(G_1, G_2)$  not in  $\mathcal{M}$
- (Optional efficiency optimization)
- for each pair  $(p_{i,1}, p_{j,2}) \in \mathcal{C}$  do
- if  $\mathcal{M} \cup \{(p_{i,1}, p_{j,2})\}$  is valid matching
- then  $\mathcal{M}_b = \text{MCG}(G_1, G_2, \mathcal{M} \cup \{(p_{i,1}, p_{j,2})\})$ ;
- end for
- if  $(|\mathcal{M}| > |\mathcal{M}_b|)$  then return  $\mathcal{M}$  else return  $\mathcal{M}_b$
- end

# Graph matching methods and distance computations

- Pairs of graphs that share large subgraphs in common are likely to be more similar.
- Edit distance.
- Transformation based distance computation.